Building product declaration

according to BPD associations' standardised format eBVD

2018-07-03 11:18:05

Ecolid Ståldörr

1. COMPANY INFORMATION

Prido AB

Company name:	Organisation number:		
Prido AB	556182-2981		
Address:	Contact person:		
Industrigatan 3	Krister Andero		
E-mail:	Telephone:		
krister.andero@prido.se	+46705870280		
VAT number:	Website:		
GLN:	DUNS:		
Company was last saved			
2018-02-07 15:56:43			
Company's certification			
ISO 9001 ISO 14001			
Other:			
Policies and guidelines			
The company has a code of conduct/policy/guidelines for dealing with social responsibility in the supplier chain, including produces for ensuring the requirements			
This is third-party audited			
If yes, which if the following guidelines have you affiliated to or management system you have implemented			
UN guiding principles for companies and human rights			
ILO's eight core conventions			
OECD Guidelines for Multinational Enterprises			
UN Global Compact			
ISO 26000			
Other policy guidelines			

Management system

If you have a management system for corporate social responsibility, what out of the following is included in the work?

Mapping	
Risk analysis	
Action plan	
Monitoring	
Sustainability reporting guidelines:	

2. ARTICLE INFORMATION

Document data

ld:	Version:
C-SE556182298101-4	1
Created:	Last saved:
2018-06-27 07:16:36	2018-07-02 11:45:59
Changes relates to:	
Ecolid Ståldörr	
Article name:	
Ecolid Ståldörr	
Article No/ID concept	
Article identity: VAT-ID SE556182298101-041110048	
Product group/Product group classification	
Product group/Product group classification Product group system	Product group id
Product group system SNI	Product group id
Product group system SNI Article description:	Product group id 25.120
Product group system SNI	Product group id 25.120
Product group system SNI Article description:	Product group id 25.120 niumram och polyuretancellplastsisolering Declaration of performance number:
Product group system SNI Article description: Ytter- och innerdörrar för industriellt bruk av stålplåt, alumir	Product group id 25.120 niumram och polyuretancellplastsisolering
Product group system SNI Article description: Ytter- och innerdörrar för industriellt bruk av stålplåt, alumir Declarations of performance:	Product group id 25.120 niumram och polyuretancellplastsisolering Declaration of performance number:
Product group system SNI Article description: Ytter- och innerdörrar för industriellt bruk av stålplåt, alumir Declarations of performance: Yes	Product group id 25.120 niumram och polyuretancellplastsisolering Declaration of performance number: 175000
Product group system SNI Article description: Ytter- och innerdörrar för industriellt bruk av stålplåt, alumir Declarations of performance: Yes Other information: Unikt prestandadeklarationsnummer upprättas för varje dör	Product group id 25.120 niumram och polyuretancellplastsisolering Declaration of performance number: 175000
Product group system SNI Article description: Ytter- och innerdörrar för industriellt bruk av stålplåt, alumir Declarations of performance: Yes Other information:	Product group id 25.120 niumram och polyuretancellplastsisolering Declaration of performance number: 175000
Product group system SNI Article description: Ytter- och innerdörrar för industriellt bruk av stålplåt, alumir Declarations of performance: Yes Other information: Unikt prestandadeklarationsnummer upprättas för varje dör CHEMICAL CONTENT	Product group id 25.120 niumram och polyuretancellplastsisolering Declaration of performance number: 175000 rr som levereras. Numret ovan är enbart ett exempel.
Product group system SNI Article description: Ytter- och innerdörrar för industriellt bruk av stålplåt, alumir Declarations of performance: Yes Other information: Unikt prestandadeklarationsnummer upprättas för varje dör CHEMICAL CONTENT Chemical content Does the declaration apply to a product or chemical product	Product group id 25.120 Iniumram och polyuretancellplastsisolering Declaration of performance number: 175000 Tr som levereras. Numret ovan är enbart ett exempel.
Product group system SNI Article description: Ytter- och innerdörrar för industriellt bruk av stålplåt, alumir Declarations of performance: Yes Other information: Unikt prestandadeklarationsnummer upprättas för varje dör CHEMICAL CONTENT Chemical content Does the declaration apply to a product or chemical product Enter chemical content for the whole article. The concentra	Product group id 25.120 Iniumram och polyuretancellplastsisolering Declaration of performance number: 175000 Tr som levereras. Numret ovan är enbart ett exempel.
Product group system SNI Article description: Ytter- och innerdörrar för industriellt bruk av stålplåt, alumir Declarations of performance: Yes Other information: Unikt prestandadeklarationsnummer upprättas för varje dör CHEMICAL CONTENT Chemical content Does the declaration apply to a product or chemical product Enter chemical content for the whole article. The concentral article".	Product group id 25.120 Iniumram och polyuretancellplastsisolering Declaration of performance number: 175000 Tr som levereras. Numret ovan är enbart ett exempel.
Product group system SNI Article description: Ytter- och innerdörrar för industriellt bruk av stålplåt, alumir Declarations of performance: Yes Other information: Unikt prestandadeklarationsnummer upprättas för varje dör CHEMICAL CONTENT Chemical content Does the declaration apply to a product or chemical product Enter chemical content for the whole article. The concentral article. Is there a safety data sheet for the article?	Product group id 25.120 Iniumram och polyuretancellplastsisolering Declaration of performance number: 175000 Tr som levereras. Numret ovan är enbart ett exempel.
Product group system SNI Article description: Ytter- och innerdörrar för industriellt bruk av stålplåt, alumir Declarations of performance: Yes Other information: Unikt prestandadeklarationsnummer upprättas för varje dör CHEMICAL CONTENT Chemical content Does the declaration apply to a product or chemical product Enter chemical content for the whole article. The concentral article Is there a safety data sheet for the article? Not applicable	Product group id 25.120 niumram och polyuretancellplastsisolering Declaration of performance number: 175000 rr som levereras. Numret ovan är enbart ett exempel.

Enter which version of	the candidate list has been use	d (Year, month, day)			
2018-06-27					
The article is covered by	by the RoHS Directive:		Enter the weight of the article:		
No			62.55 kg		
Enter how large a prop]:	ortion of the material content ha	as been declared [%			
100					
If 100% material conter	nt is not declared, please state t	the reason			
	anomaterials deliberately added	·	r function, enter these here:		
	anomaterials deliberately added n reported to the Product Regis				
Enter the proportion of to sealants, paints, vari	volatile organic substances [g/li nishes and adhesives:	itre], applies only			
Article and/or	sub-components				
Phase	Mounted				
Component	Aluminium EN AW 606	0 T66	Weight% of product	=27.34	
Comment					
Component	Gummi		Weight% of product		
Comment					
Material	Substance	Concentration interval (%)	n EG/CAS/Alternative designation	Candidate list	Phasing-out substance
EPDM		=0.68			
Component	Lim		Weight% of product	=0.16	
Comment					
Component	Plast Polyamid		Weight% of product	=0.4	
Comment					
Component	Plast PVC		Weight% of	=0.01	

Weight% of product

Weight% of

Weight% of product

product

=0.49

=6.83

=0.86

Comment

Comment

Comment

Comment

Component

Component

Component

Polyester lack

Polyuretan

Rostfritt stål ANSI 304

Varmgalvaniserad och polyesterlackerad Weight% of Component =63.23 stålplåt enligt EN10327 resp EN10326 product

Comment

Other information:

Inget av trävirket är en del av själva produkten utan används enbart som emballage under leveransskedet.

4. RAW MATERIALS

recycling processes or similar (for example BES 6001:2008, EMS certificate, USGBC Program)? If yes, enter system(s):
Raw materials
Total recycled material in the article
Is recycled material included in the article?
Renewable material
Enter proportion of renewable material in the article
Included biobased raw material is tested according to ASTM test method D6866:

Origin of raw material For this product, there has been no withdrawal of virgin fossil material If yes, please indicate what percentage of the material in question (or item?) Wood raw materials Wood raw materials are included Included wood raw material is certified How large a proportion is certified [%]? What certification system has been used (for example FSC, CSA, SFI with CoC, PEFC)? Reference number: Enter logging country for the wood raw material and that following criteria have been met. Country of logging: Sverige Does not contain type of wood or origin in CITES appendix of endangered species Which version of CITES has been used for the check? The timber has been logged legally and there is certification for this 5. ENVIRONMENTAL IMPACT Environmental impact during life cycle of the article, production phase module A1-A3 under EN Has environmental product declaration been drawn up according to EN 15804 or ISO 14025 for the article? These product-specific rules, known as PCR, have been applied: Registration number / ID number for EPD: If there is environmental product declaration or other life cycle assessment, describe how the environmental impact of the article is taken into account from a life cycle perspective: Ovan redovisade siffror är för produktionsprocessen av produkten. De innefattar inte uppgifter för framtagning av material till ingående komponenter. Produkt i användning: Genomsnittsprodukten inom sortimentet kräver under användning ett energitillskott på ca 1500 MJ per år för att täcka de transmissionvärmeförluster som uppstår genom produkten.

Efter uttjänt tid kan produktens huvudsakliga beståndsdelar, stål och aluminium, återvinnas.

Produkten bedöms kunna fungera i sin tänkta funktion i minst 25 år.

Beräkningen baseras på en 1000x2100 mm stor dörr placerad i Stockholm i en lokal som hålls uppvärmd till 18 grad C.

6. DISTRIBUTION

Distribution of finished article

Do	es the supplier apply any system with multiple-use packaging for the article?
No	
Do [.]	es the supplier take back packaging for the article?
No	
ls t	the supplier affiliated to a system for product responsibility for packaging?
Yes	s
lf y	res, which packaging and which system?
FTI	I-Repa, stål, trä, wellpapp och plast
Ca	n packaging/packaging be reused?
No	t applicable
Ca	n packaging/packaging be recycled?
No	t applicable
Ca	n packaging/packaging be energy recycled?
No	t applicable
Do	es the supplier use Retursystem Byggpall?
No	
Oth	ner information:
Em	nballage av träreglar. Tillbehöher packas i wellpapp låda. Plastband används för sammanhållning av de olika produktdelarna.
C	ONSTRUCTION PHASE
	onstruction phase
	es the article make special requirements in storage?
No	
Spe	ecify
Do	es the article make special requirements for surrounding building
pro	oducts?
No	
Spe	ecify

8. USE PHASE

Use phase

Does the article make requirements for input materials for operation and maintenance?	
No	
Specify:	
Does the article require supply of energy during operation?	
No	
Specify:	
Då dörren är manuellt manövrerad krävs ingen energitillförsel för anvär Dock förekommer termisk värmetransmission genom dörren, motsvara	idning. nde ca 1500 MJ per år för den mest vanligt förekommande storleken.
Estimated technical service life for the article:	
15-40 years	
Comment:	
Livslängden kan variera ganska kraftigt beroende av yttre faktorer så s	om användningsfrekvens, yttre miljö och daglig skötsel/underhåll.
Is there energy labelling under the Energy Labelling Directive (2010/30	/EU) for the article?
No	
If yes, enter labelling (G to A, A+, A+++, A+++):	
If yes, enter marking (G to A)	
Other information:	

9. DEMOLITION

Demolition

	Is the article prepared for disassembly (dismantling)?
	Yes
	Can the product be separated into pure material types for recycling?
	Not applicable
	Specify:
	Hela varan kan demonteras i delar utan påverkan på omgivande byggnad. Delar av varan kan sedan tas isär i sina ingående komponenter av olika material. Dörrbladen bestående av aluminium, stål och polyuretan kan malas ned och separeras i sina olika beståndsdelar vid lämplig avfallsanläggning. Dörrkamen består av aluminiumprofiler med integrerad köldbryggebrytare av polyamidplast. Tröskeln består av varmgalvaniserad stålplåt.
	Does the article require special measures for protection of health and environment in demolition/disassembly?
	No
	Specify:
	Other information:
10	. WASTE MANAGEMENT
	Delivered article
	Is the supplied article covered by the Ordinance (2014:1075) on producer responsibility for electrical and electronic products when it becomes waste?
	No
	Is reuse possible for the whole or parts of the article when it becomes waste?
	No .
	Specify:
	Is material recovery possible for the whole or parts of the article when it becomes waste?
	Yes
	Specify:
	Alla ingående komponenter av stål och aluminium är möjliga att material-återvinna för användning i liknande produkter. Över 90% av produkten kan materialåtervinnas.
	Is energy recovery possible for the whole or parts of the article when it becomes waste?
	Yes
	Specify:
	Polyuuretancellplast och gummilister samt träreglar och plast i emballaget.
	Does the supplier have restrictions and recommendation for re-use, material or energy recovery or landfilling?
	No
	Specify:

Waste code for the delivered articl 17 - Bygg- och rivningsavfall (även uppgrävda						
When the supplied article becomes waste, is it classified as hazardous waste? No						
				Mounted article		
Is the mounted article classified as hazardous	waste?					
No						
Other information						
Other information						
. INDOOR ENVIRON	MENT					
Indoor environment						
indoor environment						
The article is not intended for indoor use	e					
The article does not emit any substance						
The article does not emit any substance	25					
Emissions from the article not measured	d					
Does the article have a critical mainture state?						
Does the article have a critical moisture state?						
No						
If yes, state what:						
Noise	Electrical field	Magnetic fields				
Can the article give rise to own noise?	Can the article give rise to electrical fields?	Can the article give rise to magnetic fields				
No	No	No				
Value:	Value:	Value:				
Llait.	l laite	l lain.				
Unit:	Unit:	Unit:				
Measuring method:	Measuring method:	Measuring method:				
Paints and varnishes						
The article is resistant to fungi and alga	e in use in wet areas					
Emissions						

The article produces the following emissions in intended use:

Other information

Inga emissionsmätningar är genomförda. Se bilaga utredning avseende Farliga Substanser genomförd av SP-Rise.